

## SAMPLE IDENTIFICATION

|             |                                |                 |                     |
|-------------|--------------------------------|-----------------|---------------------|
| Peptide:    | <b>CJC-1295 (mod GRF 1-29)</b> | Date Requested: | <b>Apr 22, 2026</b> |
| Client:     | <b>Integrity Peptides</b>      | Date Received:  | <b>Apr 24, 2026</b> |
| Vendor:     | <b>Integrity Peptides</b>      | Date Tested:    | <b>Apr 29, 2026</b> |
| Lot Number: | <b>CJC-014</b>                 | Date Reported:  | <b>Apr 29, 2026</b> |

## HPLC-UV PURITY & CONTENT ANALYSIS

|                                     |                         |                         |                                |
|-------------------------------------|-------------------------|-------------------------|--------------------------------|
| Expected Content<br><b>10.00 mg</b> | Mass<br><b>10.56 mg</b> | Purity<br><b>99.39%</b> | Fill Accuracy<br><b>105.6%</b> |
|-------------------------------------|-------------------------|-------------------------|--------------------------------|




Fig. 1 - HPLC-UV Chromatogram at 214nm



## Appearance

|             |                                 |
|-------------|---------------------------------|
| Appearance: | <b>White lyophilized powder</b> |
| Cap Color:  | <b>White</b>                    |

## BACTERIAL ENDOTOXIN TEST (USP <85>)

| Method                 | Result        | Specification  | Verdict     |
|------------------------|---------------|----------------|-------------|
| Kinetic LAL (USP <85>) | < 0.125 EU/mL | <= 0.125 EU/mL | <b>PASS</b> |

Interpretation: Endotoxin not detected (0.125 EU/mL) at validated 1:16 dilution (3.0 mL reconstituted vial).

This Certificate of Analysis is provided for informational and research purposes only.



Digital Verification